

Mailing Address

Box 304, Fomoton Plains, New Jersey Turnofke & Alexander Avenue

Phone after 5:00 P. M.

Terhune 5- 4859

LIBRARY Terhune 5- 3994

We have sent this list to you in accordance with your request, and we hope you may find so nothing the new you.

No one in business can exist unless costs are eventually added to the price paid by the customer. We have many recuests for colored catalogues, but they are not only costly but missleading. Few are true to color. Our advertising is kept to a minimum as we do not feel justified in charging fees for false claims in full page ads. You too have to pay for this in cost of plants.

Our speciality has been the species, as we forsaw the day they would become scarce. Many countries have placed an embargo on the collecting of these plants, and we are now being forced to raise from seed the same plants we once imported from the wilds. Fortunately, we have some available and the price has not changed; although, we may have to refuse orders for more than one of each kind so as to be fair to the next fellow.

This list supercedes all others and is effective immediately.

We welcome visitors every day except Thursday. If you are in the vicinity, drop in. You are not obligated to buy.

CALANTHE

Mc Williams Winter-Spring \$ 4.
Spray, up to 35 flowers, white with red lip.
Dormant, mammoth bulbs.

CATTLEYA

This genus is the nost popular of all orchids. They include beauty with usefullness, and are included with the intermediate varieties growing at a temperature of 60° to 65°.

Bowringiana Brazil October \$5.-7.50 Rose purple, in clusters of 5 to 15 flowers, darker on the lip.

Gigas Warm Colombia Summer \$8.-15.

Rose sepals and petals, lip crimson purple with gold markings in the throat. The largest of the species.

Mendelii Colombia Summer \$ 5.-20. Variable. White to pale purple sepals and petals with magenta or purple lip.

Mossiae Venezuela Spring \$7.50-15.
Flowers larger, variable. Rose with crimson lip,
yellow markings.

Percivaliana Venezuela Dec. - Jan. \$ 5.-7.50

Dark sepals and petals, very dark lip.

Chysis Intermediate Spring \$ 7.50-10.

Bractescens. Star shape, white with yellow lip, four or more flowers to a stem, heavy substance.

CYMBIDIUM

Cool

Alexanderae x Ceres Pamela x Ceres Ceres x Solon Gillian Yellow Hammer Elaine Miles

During the late spring, we will have many divisions of these and other varieties, both as dormant bulbs and established in 4" pots. We also have a large group of 6" plants, identified only as to color, as they are from a private collection and the names were lost.

6" established named plants 4" established named plants 2 to 3 bulb named plants

\$15. \$7.50 \$5. A 42

1 17

During to a late suring, we will note and object to our section of the content of

A" esusolished naved lants

.

CYMBIDIUM CONT'D. Unestablished dormant bulbs when available \$ 1.50 ea. Labeled " \$ 1.50-2.50 NO ORDERS ACCEPTED AT THESE RICES FOR WHITE OR GREEN VARIETIES. CYPRIFEDIUM cool Insignae Insignae Sanderae, yellow Harrisonianum, mahogany hybrid Harefield Hall, large insignae type Aureum Surprise, handsome yellow and white hybrid 310. Venustum, purple and green St. Albans, red hybrid DINDROBIUM Intermediate Merlin Spring 7.50−15. Large flower of white and rose with deep purple blotch in the lip. A good hybrid of the Nobile type. \$ 5.-7.50 Similar to Merlin above, but flowers are smaller, and hardly two plants are alike. \$ 5.-7.50 White, spade lip with orange-yellow stain. Phalaenopsis Winter \$ 7.50-15. Varies from dark to light purple EPIDLIDRUM Intermediate Cochlioda \$ 5. The shell orchid. Mariae \$ 5.-10. Green sepals and petals, large white lip. Prismatocarpum Barly summer \$ 5.-7.50 Chartruse & chestnut brown bars on petals. Fine spray. Atropurpureum Dark purple sepal and petal with purple lip. Flowers about 1%". Long lasting. LYCADTA cool Aromatica Winter Golden yellow flowers of good substance. Fragrant. Lasting. LALLIA Intermediate to cool Fall Flowers 3" to 4". Rose with deep purple lip, variable \$15.-25. Pure white, black veins in throat. ODONTOGLOSSUM Cool Spring \$ 5.-7.50 Small pure white flowers with touch of yellow in labellum.

Anceps alba

Pulchellum Looks like an inverted white viola. Long lasting.

Summer Citrosmum Lovely pendant spray of pinkish-purple flowers. About 2"across.

> ONCIDIUM Intermediate

Spring & Summer \$ 5. Flexuosum Small spray of yellow flowers barred with chestnut brown.

Sphacelatum Spring Small flowers with chestnut brown sepals and petals barred with yellow, lip golden yellow.

Winter Splendidum Erect stems with large yellow flowers, petals barred with chestnut brown, large flat lip.

. I'I FO . WILEIT YO . 19 [0] . 1 1 Unestablished domnant oul o when eve lair NO ORDERE ADRIA TO AT MERCH, AND TO AN AREA ON A TENTO TO A Jr. L. L. e. Anderse, grith: A. 1922 - J. Murs, Parnishe Brith Fersile A. Mali, Jury Anniere c .01.1 Di at her , and if . di D. 15 Levi entral de la grande de la companya La companya de la co Signal of the Alberta, and Clemans. Drugsie teat a comment of the second The same of the also inclose 6.1 . Initiation · or the second of Fris corrects

Transform

Transfo 10.1. Atro ut procun I de la company 4 th 5. .a .e. to akiev while sends send 5:00 elium samul pura while linkers with reduction with in landitur. Looks like an inversed thing vit... with it is Filenelium Citrosmum Lovely bendant survy of purhish-purpose flowers. About 2 seroes. **また、下にこせいからいさ** · C · Tanka & talling Flexuosum Small sorsy of yellow flowers har en well wolley to years fleme. Sphacelatum Small flowers with obestnut brown s pale and petals carred with yellow, lip golden yellow. Splendidum chestnut brown, large flat lip.

ONCIDIUM CONT'D.

Cebollita Late Spring \$ 4.
Sprays of many small yellow and tan flowers.

VANDA

Intermediate

Coerulae: Various \$10.-15.
The famous "Blue Orchid". It needs lots of light and cool temperature.

Tricolor Java Various \$10.

Sprays of large yellow flowers spotted with purple, purple lip, long lasting.

Specimen plants 2½ - 3 feet \$35.

Suavis
Similar to Vanda Tricolor of which it is a variety.

Flower background is white.

FLOWERING SIZEDPLANTS FOR BEGINNERS Selected for Easy Culture

Many customers have availed themselves of our offer of plants for beginners, and we have varied our collections from time to time. We will also work out any selection to meet your growing conditions. We offer the following as a suggestion. They will give a long period of bloom depending upon the number of plants purchased.

Selection #1

1	white cattleya hybrid purple cattleya hybrid cypripedium		-	Special	\$17.50
		Se	lection	#2	
1	purple cattleya hybrid cypripedium Oncidium Splandidum	\$	7.50 4. 5.	Special	\$15.
		Se	lection	#3	
1	white cattleya hybrid purple cattleya hybrid vanda hybrid, seedling 4"bot	.,	0. 7.50 7.50	Special	\$22.50
		Se	lection	₇ ''4	
1	white cattleya hybrid purple cattleya hybrid cymbidium hybrid, 4" pot		0. 7.50 5.	Special	\$20.
		*	*****		

During the past ten years we have purchased numerous private and commercial collections. As we take the entire collection, we usually acquire many types that are of interest to collectors. There are botaricals, oncidiums, odontoglos ums, and numerous others. If interested, write us. We might have the one plant for which you are looking.

OFFIRED SUBJECT TO PRIOR SALE \$ 7.50 each 200 purple hybrids, labeled, have flowered \$72.50

10 plants \$72.50 25 plants \$125.00

PRICES SUBJECT TO CHANGE WITHOUT NOTICE ON ALL ABOVE ITEMS.

"Your First Orchids and How to Grow Them"
This booklet revised to April 1955 is published by the Oregon Orchid Society. It is a complete guide, well written for the amateur and advanced growers. Copies may be had for \$1.25

No. of the second

PRICES DUBLICE TO CHARGE WITHHOUT . CITED OF TOALEU. ELDING

"Your First Orehals and How bo thow Isem" This occulet revised to April 1955 is sublished by the Oregon Cheftid Luciety. It is a complete guide, well written for the absteur and advanced growers. Conten aby be had for

OTHER HOUSE PLANTS

BFOM TIADS in variety. As most of our plants are hybrids, we offer a few types of the Aecmea such as fulgens, fasciata, etc.
Blooming size plants from \$4. each

HAEMANTHUS, King Alfred. A gorgeous coral head of flowers about 8" across, in the summer. Treat like amaryllis. Shipping of large bulbs, Feb. to April \$6. each

EUCHARIS arnazonica dormant bulbs \$ 1.50 each

ANTHURIUMS

Scherzerianum \$5.-7.50 Red, flame, and spotted varieties.

Spathiphyllum var Clevelandi \$ 2.50-5.
White

Andreanum hybrids
Red, salmon, and pink varieties only

STUD STOCK

We offer one plant only, except where starred (**)

C. Prince Charlie \$125.
Soft yellow s & p with deep red lip and yellow eyes in throat.

#2316 (Adams) \$ 35.
Lemon yellow, pinkish lip, small flower. Large plant.

Lc. Snowdrift Extra Fine \$ 75. W/P Good flower. Healthy plant.

Lc. Snowdrift
Same as above but flower just another w/p.

Lc. Hassali alba, variety Majestica 4 bulb plant \$150.

Pure white sepals and petals with deep red-purple lip & into labellum. Not a round flower as grown today, but a striking beauty. So far as we know, the only one in existance other than a 4 bulb plant sold a year ago.

C. Western Horizon (Armacost & Royston) \$\\$35.\$ Medium sepals and petals with extra dark lip.

C. Leda Extra Dark \$ 25.

Almost as dark as the photo of Ruby in White's book.

Small flower. Christmas flowering.

Lc. Queen Mary var Stonehurst
Medium dark. Dark lip.

\$ 35.

Bc. Dunsford **
Fine dark, full rounded flower, but hard to bloom.

#69 Souv. Louis Bander x C. Snowdon **

Our finest white. Heavy substance and large flower.

Will flower about every 8 to 9 months with us.

NOT AVAILABLE TO COMMERCIAL GROWERS.

C. Green Gold **
Shades from yellow to dark chartruse with red lip and gold eyes in throat.

We give no warranty, expressed or implied, as to the expectancy of production of any of the plants we sell; and we will not be responsible for the crop.

Prices are quoted F. O. B. Pompton Plains, New Jersey. Plants offered subject to prior sale.

Minimum order \$5.00, otherwise add 10% packing charge.

Terms: Cash with order.

OTHER HOUSE FIRETER

B: Om DIADS in variety. As a track our plants are by made, we think a few types of the Abenes such as fullent, is the Abenes such as fullent, is the Abenes from Blooming size plants from

HARMSHUS, Ring Alfrel. A comment combbest of shares and a second by across, in the summer. There is a complification of large summer, Nobels as Across to the comment of the summer of t

MUC ALTS armazonion "dermant talks

AUTORIS INSTA

15.50 00.1

Sparinghyllum var (Mevelonci

Andresnum hvirida kod, salimu, a t pink serietiya aplr

1174 - 479 dig 1778 1.

we offer and the terms of the first and the second tolder of the

). Prince Tharlie Soft rellers a podit dam ned tip

#2716 (Adens) Located willow , pinciped tim, which is all them. The form f

endi enemi etlimbed eni enemi medilibed en en Mi Bond (41)

Lo. encydailis Paug na a dva mat fil a juspjensta air.

Lc. Passeli alon, community sens ind the bond of bond of the solution of the state of the solution of

C. Weatern Homison (As some C Burstos)

iledium depets and pass) a mist natus data lig.

O. Leda Sacra sork
Alwart an durk or "L phys I haby in Birch You.
Laall flower. The "tow sorthers."

Lo. Pueen dary var Star burt Medium derka lare Lig.

Bc. Dunsford **
Pine Jark, full now u first, with a ret of the

#69 Sony, Louis Plus, I (). Louden **

Our finest while. Harry climeanure and lar a first.

Will flower about where it a 9 tentus with 8.

NOT AVELLABLE to ON LOUIS to Go Dec.

O. Green Gold **

Candas food wellow up first against the contract of the cont

We give no wirearty, extressed or inplied. ... the first of production of any of the crop.

responsible for the crop.

responsible for the crop.

Prices are cuoted F. O. W. Fompton blaims, here force.

Plants offered subject to prior sale.

Minimum order \$5.00, cinerwise add 10% parking carries.

Terms: Cash with order.

GROWING ORCHIDS IN THE HOUSE

During the past ten years we have tried to answer numerous questions from far and near as to the growing of orchids in the home. Our reply is "we started that way before we branched out as a business".

In all fairness, let us state that it is much easier in a greenhouse, but we know of hundreds who do not have one. Some have been very successful. We were.

Other questions most generally asked are herein answered to the best of our ability.

HOW HOT DOES IT HAVE TO BE? Our greenhouse is not for orchids, so we are fortunate to have it over 50° at 0°. Guessing at the probable temperature, we withold watering if cold. A dry plant is safer. The proper temperature for cattleyas should be 62° - 65° at night.

HOW OFTEN DO YOU WATER IN THE POT? A good rule is about 4 days for a 4" pot and 5 days for a 5" pot. This applies to hybrids that do not have a definite resting period. Species have a definite resting period which is usually indicated by the light green tip at the end of each root. When this is not visible, the plant is resting, and only overhead spraying about every 4 to 5 days in summer is enough. In the winter with heat in a dry room, overhead spraying could be done daily. Just keeping the psuedo bulb plump is all that is required.

HOW MUCH HUMIDITY IS NEPDED? That is hard to maintain in a home. A tray 4" deep with pebbles or coke to hold moisture is a good idea. Put a slat frame about 1" above the pebble level and after soaking the pebbles, set the plant on the frame. Never let the plant set in water.

LIGHT REQUIREMENTS. This is also a problem at home as a plant requires bright light but not direct sun. During the winter, plants need all the light possible short of burning the leaves. More shading is needed in summer, but the best place for your plants is outside in a semi shady spot. Be careful of direct sun. From March to September or early October, the plants should have more shade, after which they will stand more light. A slightly yellow leaf plant will produce more flowers than a dark green leaf one.

HOW OFTEN DO WE SPLIT A PLANT? This question is becoming more common, but you do not have to divide a plant at all if you do not want to. We divide to obtain plants to sell, but a plant with 15 leaves or more will produce more flowers and make a handsome show. If you do divide, never have less than 4 leaved bulbs to a division. Bare back bulbs should be left on as they give a certain amount of strength to the plant. However, if the bulbs are too yellow and do not have a live eye, it is just as well to cut them off. If the plant is valuable, you can sometimes force a growth from bulbs that appear blind but it is a long process.

HOW OFTEN DO YOU REPOT? We try to send out plants that will not need it for two years. When repotting, try to use a pot that will take two year's growth.

HOW DO YOU REPOT? Get a clean pot and fill about & full of broken crock. A plant should have the peat from the back end removed as much as possible. Leave the peat on the growing or front end and place firmly in the pot so that you will finish with it about 3/4" below the rim of the pot. Shread the peat and insert in pot with the back bulb against the pot side. Work the peat from the front end with a pointed stick; force the peat against the center of the plant. Insert peat around the sides, and at every insertion, shove the peat from the side into the center against the plant. This avoids a hole in the center. When it seems full, ram it hard into the pot, working from side to center. You will need more peat to fill in around the pot. The new eye should be level with the peat surface. Po not use soaking wet peat, but have it moist to the touch. After potting, do not water for about two weeks. Spray overhead until new growth starts.

Other popular types of orchids are the cycripedium and cymbidium. The former, not having psuedo bulbs, requires a damp growing medium at all times. Less light is required, but the warm types adapt better to the home. Cymbidiums grow in soil and peat and need an overhead spraying daily, with extra spraying in the summer. They grow much better outside in a light shade, and should be watered daily. The spike usually starts in the late fall and winter. Watch for growth, and after the spike starts, water in the pot but only after you are sure it is nearly dry. Unless grown at about 55° at night, they might drop the buds before opening.

CHOMING OROHIDS IN THE HOUSE

During the past ten years we have tried to answer numerous questions from far and near as to the growing of orchids in the home. Our reply is "we started the may before we branched out as a business".

In all fairness, let us state that it is much easier in a greenhouse, but we income hundreds who do not have one. Some have been very successful. Te ware.

Other questions most generally asked are herein answered to the best of cur ability.

HOW HOT DOES IT HAVE TO BE? Our greenhouse is not for available, so me are fortunate to have it over 50° at 0°. Guessing at the amoustle tenerature, we withold watering if cold. A dry plant is safer. The archer temperature for cattleyes should be 62° - 65° at night.

HOW OFTEN DO YOU WATER IN THE POT? A good rule is about 4 days for a 4" not and 5 days for a 5" pot. This applies to hybrids that do not have a definite resting period. Species have a definite resting period which is usually irricated by the light green tip at the end of each root. Then thus is not visible, the plant is enough. In the winter with heat in a dry room, overhead suraying about every 6 to 5 days in summer is enough. In the winter with heat in a dry room, overhead suraying could be done daily.

Just keeping the psuedo bulb plump is all that is required.

HOW MUCH HUMIDITY IS METDED? That is hard to maintain it a bone. A tray 1" deep with pebbles or coke to hold moisture is a good idea. Put a slat frame about 1" above the pebble level and after soaking the pebbles, sot the plant on the frame. Never let the plant set in water.

LIGHT REQUIR MEMORS. This is also a problem at home as a plant requires bright light but not direct sun. During the winter, plants need all the light mossible short of burning the leaves. More shading is needed in summer, but the best place for your plants is outside in a semi shady spot. We careful of direct sun. From March to September or early October, the plants should have more shade, after which they will stand more light. A slightly yellow leaf plant will produce more flowers than a dark green leaf one.

HOW OFTEN DO WE SPLIT A PLANT? This question is becoming more common, but you do not have to divide a plant at all if you do not want to. We divide to obtain plants to sell, but a plant with 15 leaves or more will produce more flowers and make a handsome show. If you do divide, never have less than 4 leaved bulbs to a division. Bare back bulbs should be left on as they give a certain amount of strength to the plant. However, if the bulbs are too yellow and do not have a live eye, it is just as well to cut them off. If the plant is valuable, you can sometimes force a growth from bulbs that appear blind but it is a long process.

HOW OFTEN DO YOU REPOT? We try to send out plants that will not need it for two years. When repotting, try to use a pot that will take two year's growth.

HOW DO YOU REPOT? Get a clean pot and fill about \$ full of broken crock. A relate should have the peat from the back end removed as much as possible. Leave the peat on the growing or front end and place firmly in the bot so that you will finish with it about 3/4" below the rim of the pot. Shread the best end insert in not with the back bulb against the pot side. Work the nest from the front end with a roin'ed stick; force the peat against the center of the plant. Thereth meat around the sides, and at every insertion, showe the orat from the side into the center against the plant. This avoids a hole in the center. When it shows full, ram it bond into the pot, working from side to center. You will need more reat to fill it amound the pot. The new eye should be level with the neat surface. To not use scaling ret peat, but have it moist to the touch. After nothing, do not water for about two weeks. Spray overhead until new growth starts.

Other popular types of orchids are the cyrripedium and cymbidium. The former, not having psuedo bulbs, requires a damp growing medium at all times. Less light is required, but the warm types adapt better to the home. Cymbidiums prow in soil and peat and need an overhead spraying daily, with extra spraying in the summer. They grow much better outside in a light shade, and should be watered daily. The spike usually starts in the late fall and winter. Watch for growth, and after the spike starts, water in the pot but only after you are sure it is nearly dry. Unless grown at about 55° at night, they might drop the buds before opening.